

# PRODUCT DATA SHEET

## Product no., name and description

Product no.	Old no.	Name	Description
11252160		Aka-Cut Fe60 Cut-off wheel 250 mm dia.	Brown disc
11302160		Aka-Cut Fe60 Cut-off wheel 300 mm dia.	Brown disc
11352160		Aka-Cut Fe60 Cut-off wheel 350 mm dia.	Brown disc
11402160		Aka-Cut Fe60 Cut-off wheel 400 mm dia.	Brown disc
11432160		Aka-Cut Fe60 Cut-off wheel 432 mm dia.	Brown disc
11252150		Aka-Cut Fe50 Cut-off wheel 250 mm dia.	Brown disc
11302150		Aka-Cut Fe50 Cut-off wheel 300 mm dia.	Brown disc
11352150		Aka-Cut Fe50 Cut-off wheel 350 mm dia.	Brown disc
11402150		Aka-Cut Fe50 Cut-off wheel 400 mm dia.	Brown disc
11432150		Aka-Cut Fe50 Cut-off wheel 432 mm dia.	Brown disc
11252120		Aka-Cut Ti20 Cut-off wheel 250 mm dia.	Brown disc
11302120		Aka-Cut Ti20 Cut-off wheel 300 mm dia.	Brown disc
11352120		Aka-Cut Ti20 Cut-off wheel 350 mm dia.	Brown disc
11402120		Aka-Cut Ti20 Cut-off wheel 400 mm dia.	Brown disc
11432120		Aka-Cut Ti20 Cut-off wheel 432 mm dia.	Brown disc
11252110		Aka-Cut NF10 Cut-off wheel 250 mm dia.	Brown disc
11302110		Aka-Cut NF10 Cut-off wheel 300 mm dia.	Brown disc
11352110		Aka-Cut NF10 Cut-off wheel 350 mm dia.	Brown disc
11402110		Aka-Cut NF10 Cut-off wheel 400 mm dia.	Brown disc
11432110		Aka-Cut NF10 Cut-off wheel 432 mm dia.	Brown disc
11431140	9103	Aka-Cut 500 HV Cut-off wheel 432 mm dia	Brown disc
11251140	9133	Aka-Cut 500 HV Cut-off wheel 254 mm dia.	Brown disc
11301140	9153	Aka-Cut 500 HV Cut-off wheel 305 mm dia.	Brown disc

# PRODUCT DATA SHEET

11351140	9183	Aka-Cut 500 HV Cut-off wheel 354 mm dia.	Brown disc
11411140	9203	Aka-Cut 500 HV Cut-off wheel 406 mm dia.	Brown disc
11151170	9456	Cut-off wheel 150 mm dia., 500 - 1000 HV	Black disc
11151140	9457	Cut-off wheel 150 mm dia., 150 - 700 HV	Black disc
11151110	9459	Cut-off wheel 150 mm dia., 50 - 400 HV Non Ferrous	Black disc
11152110		Aka-Cut NF10 Cut-off wheel 150 mm dia.	Brown disc
11152140		Aka-Cut Fe40 Cut-off wheel 150 mm dia.	Brown disc
11152160		Aka-Cut Fe60 Cut-off wheel 150 mm. dia.	Brown disc

## Material

Resin bonded aluminium oxide or silicon carbide.

## Properties

See section: Product no., name and description.

## Application

Metallographic cutting using fully enclosed Metallographic Cutting Machines including water based cooling fluid.

## Health and Safety

Based on the information available, the product is neither harmful to health nor hazardous to the environment. The product is an article with no intended release of chemical substances and exempt from classification, labelling and safety data sheet requirements.

This product should only be used for the applications referred to above.

For the US only. NFPA Rating: Health: 0. Fire: 0. Reactivity: 0. Other: 0

## REACH information

All substances of this product are REACH compliant.

# PRODUCT DATA SHEET

## **Environmental precautions**

Dispose of waste and residues in accordance with local authority requirements.

## **Storage information**

Store out of direct sunlight and between 5 - 40 °C. Shelf life is 2 years and printed on the product.